

Hraniclean Soft Line

Issue date: 9/15/2023

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Revision date: 8/14/2025

Supersedes version of: 3/28/2024

Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form

: Mixture

Product name

: Hraniclean Soft Line

UFI

: MYS2-H0QH-K00Q-WRUG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Intended for general public

Main use category

: Consumer use

Use of the substance/mixture

: Household cleaning product

1.3. Details of the supplier of the safety data sheet

Distributor

Hranipex Czech Republic k.s.  
J. Rýznerové 97, Komorovice  
CZ 396 01 Humpolec  
Czech Republic  
T +420 565 501 211  
[cz-hranipex@hranipex.com](mailto:cz-hranipex@hranipex.com), [www.hranipex.cz](http://www.hranipex.cz)  
E-mail address of competent person responsible for the SDS :  
[sds@regartis.com](mailto:sds@regartis.com)

Supplier

Hranipex Ltd.  
Unit 2 Radial Park, Birmingham Business Park  
Birmingham, B37 7YN  
United Kingdom  
T +44 121 767 9180, F 0121 782 6250  
[uk-hranipex@hranipex.com](mailto:uk-hranipex@hranipex.com), [www.hranipex.co.uk](http://www.hranipex.co.uk)

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3

H226

Serious eye damage/eye irritation, Category 2

H319

Full text of H- and EUH-statements: see section 16

Hraniclean Soft Line



Issue date: 9/15/2023 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Revision date: 8/14/2025 Supersedes version of: 3/28/2024 Version: 3.0

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes serious eye irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)	:	 
		GHS02      GHS07
Signal word (CLP)	:	Warning
Hazard statements (CLP)	:	H226 - Flammable liquid and vapour. H319 - Causes serious eye irritation.
Precautionary statements (CLP)	:	P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH-statements	:	EUH208 - Contains CMIT/MIT (55965-84-9). May produce an allergic reaction.
Extra phrases	:	Treated article, contains preservation agents: CMIT/MIT, Bronopol (INN) Perfume (Citral, Limonene, Hexyl Cinnamal, Linalool, Benzyl benzoate, Citronellol)

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII  
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII  
  
The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558-25-xxxx	10 – 15	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
2-butoxyethanol; ethylene glycol monobutyl ether	CAS-No.: 111-76-2 EC-No.: 203-905-0 EC Index-No.: 603-014-00-0 REACH-no: 01-2119475108-36	1 – 3	Acute Tox. 3 (Inhalation:vapour), H331 (ATE=3 mg/l) Acute Tox. 4 (Oral), H302 (ATE=1200 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Irrit. 2, H319
Sorbitan monooleate, ethoxylated	CAS-No.: 9005-65-6 EC-No.: 500-019-9	< 2	Aquatic Chronic 3, H412

## Hraniclean Soft Line

Issue date: 9/15/2023

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Revision date: 8/14/2025

Supersedes version of: 3/28/2024

Version: 3.0

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Quaternary ammonium compounds, C12-14-alkyltrimethyl, Me sulfates	CAS-No.: 96690-44-7 EC-No.: 306-238-4 REACH-no: 01-2120770734-48	≤ 0.05	Acute Tox. 4 (Oral), H302 (ATE=570 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=429 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	CAS-No.: 52-51-7 EC-No.: 200-143-0 EC Index-No.: 603-085-00-8	≤ 0.02	Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 STOT SE 3, H335 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10)
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC-No.: 911-418-6 EC Index-No.: 613-167-00-5	< 0.0015	Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Dermal), H310 Acute Tox. 3 (Oral), H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071

## Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC-No.: 911-418-6 EC Index-No.: 613-167-00-5	(0.0015 ≤ C ≤ 100) Skin Sens. 1A; H317 (0.06 ≤ C < 0.6) Eye Irrit. 2; H319 (0.06 ≤ C < 0.6) Skin Irrit. 2; H315 (0.6 ≤ C ≤ 100) Eye Dam. 1; H318 (0.6 ≤ C ≤ 100) Skin Corr. 1C; H314

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

First-aid measures general	: In all cases of doubt, or when symptoms persist, seek medical attention. If possible, show the doctor this safety data sheet. Failing this, show the doctor the packaging or label. If unconscious, place in the recovery position. Never give anything by mouth to an unconscious person. Immediately remove contaminated clothing or footwear.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Give artificial respiration if necessary. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Remove immediately contaminated clothing, wash affected skin area with plenty of cold or lukewarm water. If no injury to skin occurred, it is recommended to use soap, soap solution or shampoo. Call a physician!
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Keep the affected person at rest. Rinse mouth thoroughly with water. Do not give an unconscious person anything to drink. If vomiting occurs have person lean forward. Seek medical attention immediately.

# Hraniclean Soft Line

Issue date: 9/15/2023

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Revision date: 8/14/2025

Supersedes version of: 3/28/2024

Version: 3.0

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Eye irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : On burning: release of carbon monoxide - carbon dioxide. Hydrocarbons. Aldehydes. High temperature decomposition products are harmful by inhalation.

### 5.3. Advice for firefighters

Firefighting instructions : Ensure adequate ventilation. Do not breathe fumes from fires or vapours from decomposition. Cool down the containers exposed to heat with a water spray. Exercise caution when fighting any chemical fire.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.  
Other information : Do not allow run-off from fire fighting to enter drains or water courses.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all unnecessary exposure. Ensure adequate ventilation. Do not breathe vapours.  
Eliminate every possible source of ignition.

#### For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

#### For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Do not allow the mixture to enter into sewer, water system (underground water, surface water) or soil.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect all waste in suitable and labelled containers and dispose according to local legislation.

### 6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Keep out of reach of children. Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Do not breathe vapours. Keep away from open flames, hot surfaces and sources of ignition.

# Hraniclean Soft Line

Issue date: 9/15/2023

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Revision date: 8/14/2025

Supersedes version of: 3/28/2024

Version: 3.0

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wear personal protective equipment. Keep away from food, drink and animal feedingstuffs.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in properly labelled containers.  
Storage conditions : Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store at room temperature.  
Incompatible products : Strong acids. Strong oxidizing agents.  
Storage temperature : < 50 °C

## 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### National occupational exposure and biological limit values

2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	2-Butoxyethanol
IOEL TWA	98 mg/m <sup>3</sup>
	20 ppm
IOEL STEL	246 mg/m <sup>3</sup>
	50 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
United Kingdom - Occupational Exposure Limits	
Local name	2-Butoxyethanol
WEL TWA (OEL TWA)	123 mg/m <sup>3</sup>
	25 ppm
WEL STEL (OEL STEL)	246 mg/m <sup>3</sup>
	50 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
United Kingdom - Biological limit values	
Local name	2-Butoxyethanol
BMGV	240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
United Kingdom - Occupational Exposure Limits	
Local name	Propan-2-ol

Hraniclean Soft Line

Issue date: 9/15/2023

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Revision date: 8/14/2025Supersedes version of: 3/28/2024

Version: 3.0

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
WEL TWA (OEL TWA)	999 mg/m³
	400 ppm
WEL STEL (OEL STEL)	1250 mg/m³
	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

DNEL and PNEC

2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	246 mg/m³
Long-term - systemic effects, inhalation	98 mg/m³
DNEL/DMEL (General population)	
Acute - local effects, inhalation	147 mg/m³
Long-term - systemic effects,oral	6.3 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	59 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	8.8 mg/l
PNEC aqua (marine water)	0.88 mg/l
PNEC aqua (intermittent, freshwater)	26.4 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	34.6 mg/kg dwt
PNEC sediment (marine water)	3.46 mg/kg dwt
PNEC (Soil)	
PNEC soil	2.33 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	0.02 g/kg food
PNEC (STP)	
PNEC sewage treatment plant	463 mg/l

Quaternary ammonium compounds, C12-14-alkyltrimethyl, Me sulfates (96690-44-7)	
DNEL/DMEL (Workers)	
Long-term - local effects, inhalation	1 mg/m³
DNEL/DMEL (General population)	
Long-term - local effects, inhalation	1 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	10.3 ng/l
PNEC aqua (marine water)	1.03 ng/l
PNEC aqua (intermittent, freshwater)	0.103 µg/l
PNEC aqua (intermittent, marine water)	0.0103 µg/l

# Hraniclean Soft Line

Issue date: 9/15/2023

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 8/14/2025

Supersedes version of: 3/28/2024

Version: 3.0

## Quaternary ammonium compounds, C12-14-alkyltrimethyl, Me sulfates (96690-44-7)

### PNEC (Sediment)

PNEC sediment (freshwater)	0.0291 mg/kg dwt
PNEC sediment (marine water)	2.91 µg/kg dw

### PNEC (Soil)

PNEC soil	5.82 µg/kg dw
-----------	---------------

### PNEC (STP)

PNEC sewage treatment plant	0.9 mg/l
-----------------------------	----------

## Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)

### DNEL/DMEL (Workers)

Acute - local effects, dermal	8 µg/cm <sup>2</sup>
Long-term - systemic effects, dermal	2 mg/kg bodyweight/day
Long-term - local effects, dermal	8 µg/cm <sup>2</sup>
Long-term - systemic effects, inhalation	3.5 mg/m <sup>3</sup>
Long-term - local effects, inhalation	2.5 mg/m <sup>3</sup>

### DNEL/DMEL (General population)

Acute - local effects, dermal	4 µg/cm <sup>2</sup>
Long-term - systemic effects, oral	0.18 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0.6 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	0.7 mg/kg bodyweight/day
Long-term - local effects, dermal	4 µg/cm <sup>2</sup>
Long-term - local effects, inhalation	0.6 mg/m <sup>3</sup>

### PNEC (Water)

PNEC aqua (freshwater)	0.001 mg/l
PNEC aqua (marine water)	0.001 mg/l
PNEC aqua (intermittent, freshwater)	0 mg/l

### PNEC (Sediment)

PNEC sediment (freshwater)	0.021 mg/kg dwt
PNEC sediment (marine water)	0.009 mg/kg dwt

### PNEC (Soil)

PNEC soil	0.21 mg/kg dwt
-----------	----------------

### PNEC (STP)

PNEC sewage treatment plant	0.43 mg/l
-----------------------------	-----------

## Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

### DNEL/DMEL (Workers)

Acute - local effects, inhalation	0.04 mg/m <sup>3</sup>
Long-term - local effects, inhalation	0.02 mg/m <sup>3</sup>

### DNEL/DMEL (General population)

Acute - systemic effects, oral	0.11 mg/kg bodyweight/day
Acute - local effects, inhalation	0.04 mg/m <sup>3</sup>

## Hraniclean Soft Line

Issue date: 9/15/2023

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Revision date: 8/14/2025

Supersedes version of: 3/28/2024

Version: 3.0

**Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)**

Long-term - systemic effects, oral	0.09 mg/kg bodyweight/day
------------------------------------	---------------------------

Long-term - local effects, inhalation	0.02 mg/m <sup>3</sup>
---------------------------------------	------------------------

**PNEC (Water)**

PNEC aqua (freshwater)	3.39 µg/l
------------------------	-----------

PNEC aqua (marine water)	3.39 µg/l
--------------------------	-----------

PNEC aqua (intermittent, freshwater)	3.39 µg/l
--------------------------------------	-----------

PNEC aqua (intermittent, marine water)	3.39 µg/l
--	-----------

**PNEC (Sediment)**

PNEC sediment (freshwater)	0.027 mg/kg dwt
----------------------------	-----------------

PNEC sediment (marine water)	0.027 mg/kg dwt
------------------------------	-----------------

**PNEC (Soil)**

PNEC soil	0.01 mg/kg dwt
-----------	----------------

**PNEC (STP)**

PNEC sewage treatment plant	0.23 mg/l
-----------------------------	-----------

**propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)****DNEL/DMEL (Workers)**

Long-term - systemic effects, dermal	888 mg/kg bodyweight/day
--------------------------------------	--------------------------

Long-term - systemic effects, inhalation	500 mg/m <sup>3</sup>
--	-----------------------

**DNEL/DMEL (General population)**

Long-term - systemic effects, oral	26 mg/kg bodyweight/day
------------------------------------	-------------------------

Long-term - systemic effects, inhalation	89 mg/m <sup>3</sup>
--	----------------------

Long-term - systemic effects, dermal	319 mg/kg bodyweight/day
--------------------------------------	--------------------------

**PNEC (Water)**

PNEC aqua (freshwater)	140.9 mg/l
------------------------	------------

PNEC aqua (marine water)	140.9 mg/l
--------------------------	------------

**PNEC (Sediment)**

PNEC sediment (freshwater)	552 mg/kg dwt
----------------------------	---------------

PNEC sediment (marine water)	552 mg/kg dwt
------------------------------	---------------

**PNEC (Soil)**

PNEC soil	28 mg/kg dwt
-----------	--------------

**8.2. Exposure controls****Appropriate engineering controls****Appropriate engineering controls:**

Ensure good ventilation of the work station. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

**Personal protection equipment****Eye and face protection****Eye protection:**

tightly fitting safety goggles



## Hraniclean Soft Line

Issue date: 9/15/2023

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Revision date: 8/14/2025

Supersedes version of: 3/28/2024

Version: 3.0

**Skin protection****Skin and body protection:**

Wear suitable working clothes. Protective shoes

**Hand protection:**

Wear protective gloves. Nitrile rubber. Butyl rubber. Follow the glove manufacturer's specific recommendations when selecting the appropriate thickness, material, and permeability.

**Respiratory protection****Respiratory protection:**

Wear suitable respiratory equipment in case of insufficient ventilation. Wear appropriate mask. Type AX - Low-boiling (&lt;65 °C) organic compounds. Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust

**Environmental exposure controls****Environmental exposure controls:**

Avoid release to the environment.

**Other information:**

Always wash hands after handling the product. Avoid contact with skin and eyes. Do not eat, drink or smoke in areas where product is used. Remove all contaminated clothing and footwear.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state	: Liquid
Colour	: Colourless.
Odour	: According to the perfume used.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Flammable liquid and vapour
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: ≈ 35 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: ≈ 1 g/cm <sup>3</sup>
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

**9.2. Other information****Other safety characteristics**

VOC content : ≈ 0.1 kg/kg

**SECTION 10: Stability and reactivity****10.1. Reactivity**

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability**

Stable under normal conditions.

# Hraniclean Soft Line

Issue date: 9/15/2023

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 8/14/2025

Supersedes version of: 3/28/2024

Version: 3.0

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Overheating.

## 10.5. Incompatible materials

Strong acids. Strong oxidizing agents.

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. On burning: release of carbon monoxide - carbon dioxide. Hydrocarbons. Aldehydes.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)  
 Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)  
 Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

#### 2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)

LD50 oral	1414 mg/kg Guinea pig
LD50 dermal	> 2000 mg/kg
LC50 Inhalation - Rat [ppm]	> 691 ppm

#### Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)

LD50 oral rat	193 mg/kg OECD 401
LD50 dermal rat	> 2000 mg/kg OECD 402
LC50 Inhalation - Rat	≥ 0.588 mg/l

#### Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

LD50 oral rat	200 mg/kg OECD 423
LD50 dermal rat	> 1008 mg/kg OECD 402
LC50 Inhalation - Rat	1.23 mg/l/4h

#### propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

LD50 oral rat	5.84 g/kg OECD 401
LD50 dermal rat	16.4 ml/kg OECD 402
LC50 Inhalation - Rat [ppm]	> 10000 ppm OECD 403

#### Sorbitan monooleate, ethoxylated (9005-65-6)

LC50 Inhalation - Rat	> 5.1 mg/l
-----------------------	------------

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)  
 Serious eye damage/irritation : Causes serious eye irritation.  
 Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)  
 Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)  
 Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

#### Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)

NOAEL (chronic, oral, animal/male)	7 mg/kg bodyweight
------------------------------------	--------------------

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

# Hraniclean Soft Line

Issue date: 9/15/2023

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 8/14/2025

Supersedes version of: 3/28/2024

Version: 3.0

## 2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)

NOAEL (animal/male, F0/P)	720 mg/kg bodyweight
---------------------------	----------------------

## Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)

NOAEL (systemic toxicity)	10 mg/kg bodyweight
---------------------------	---------------------

NOAEL (reproductive toxicity)	50 mg/kg bodyweight
-------------------------------	---------------------

## propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

NOAEL (animal/male, F0/P)	500 mg/kg OECD 416
---------------------------	--------------------

NOAEL (animal/male, F1)	100 mg/kg
-------------------------	-----------

NOAEL (developmental toxicity)	≥ 596 mg/kg
--------------------------------	-------------

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

## Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

## propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

STOT-single exposure	May cause drowsiness or dizziness.
----------------------	------------------------------------

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

## 2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)

NOAEL (oral, rat, 90 days)	< 69 mg/kg bodyweight/day OECD 408
----------------------------	------------------------------------

NOAEL (dermal, rat/rabbit, 90 days)	> 150 mg/kg bodyweight OECD 411
-------------------------------------	---------------------------------

NOAEC (inhalation, rat, vapour, 90 days)	< 31 ppm OECD 453
--	-------------------

## Quaternary ammonium compounds, C12-14-alkyltrimethyl, Me sulfates (96690-44-7)

NOAEL (oral, rat, 90 days)	≈ 40 mg/kg bodyweight OECD 408
----------------------------	--------------------------------

NOAEL (dermal, rat/rabbit, 90 days)	10 mg/kg bodyweight OECD 410
-------------------------------------	------------------------------

## Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)

LOAEL (oral, rat, 90 days)	32 mg/kg bodyweight/day
----------------------------	-------------------------

NOAEL (oral, rat, 28 days)	7 mg/kg bodyweight/day
----------------------------	------------------------

NOAEL (dermal, rat/rabbit, 28 days)	2 mg/kg bodyweight/day
-------------------------------------	------------------------

## Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

LOAEL (dermal, rat/rabbit, 90 days)	0.525 mg/kg bodyweight EPA OPP 82-3, 90d
-------------------------------------	--

NOAEL (oral, rat, 90 days)	22 mg/kg bodyweight/day OECD 409
----------------------------	----------------------------------

NOAEL (dermal, rat/rabbit, 90 days)	0.105 mg/kg bodyweight/day
-------------------------------------	----------------------------

NOAEC (inhalation, rat, 90 days)	0.34 mg/l OECD 413
----------------------------------	--------------------

## propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

NOAEC (inhalation, rat, vapour, 90 days)	5000 ppm OECD 451
--	-------------------

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

## 11.2. Information on other hazards

### Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# Hraniclean Soft Line

Issue date: 9/15/2023

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 8/14/2025

Supersedes version of: 3/28/2024

Version: 3.0

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

#### 2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)

LC50 - Fish [1]	1474 mg/l Oncorhynchus mykiss, OECD 203
EC50 - Crustacea [1]	≈ 1800 mg/l Daphnia magna, OECD 202
EC50 72h - Algae [1]	> 1000 mg/l Raphidocelis subcapitata, OECD 201
NOEC (chronic)	100 mg/l Daphnia magna '21 d'
NOEC chronic fish	≥ 100 mg/l Oryzias latipes, '14 d'
NOEC chronic algae	62.5 mg/l Raphidocelis subcapitata

#### Quaternary ammonium compounds, C12-14-alkyltrimethyl, Me sulfates (96690-44-7)

LC50 - Fish [1]	45 mg/l Danio rerio
EC50 - Crustacea [1]	0.1001 mg/l Daphnia magna

#### Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)

LC50 - Fish [1]	11 mg/l Lepomis macrochirus, OECD 203
EC50 - Crustacea [1]	1.4 mg/l Daphnia magna
EC50 72h - Algae [1]	0.25 mg/l Skeletonema costatum
EC50 72h - Algae [2]	0.37 mg/l Raphidocelis subcapitata
LOEC (chronic)	0.88 mg/l Daphnia magna '21 d'
NOEC (chronic)	0.27 mg/l Daphnia magna '21 d'
NOEC chronic fish	2.61 mg/l Oncorhynchus mykiss
NOEC chronic crustacea	0.27 mg/l Daphnia magna

#### Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

LC50 - Fish [1]	0.19 mg/l Oncorhynchus mykiss
LC50 - Fish [2]	0.28 mg/l Lepomis macrochirus
EC50 - Crustacea [1]	0.16 mg/l Daphnia magna
EC50 72h - Algae [1]	0.027 mg/l OECD 201
NOEC (chronic)	0.1 mg/l Daphnia magna, '21 d'
NOEC chronic fish	0.13 mg/l Oncorhynchus mykiss, '28 d'

#### propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

LC50 - Fish [1]	10000 mg/l Pimephales promelas, OECD 203
LC50 - Fish [2]	9640 mg/l Pimephales promelas
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna, OECD 202
EC50 72h - Algae [1]	1800 mg/l Scenedesmus quadricauda

# Hraniclean Soft Line

Issue date: 9/15/2023

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 8/14/2025

Supersedes version of: 3/28/2024

Version: 3.0

## 12.2. Persistence and degradability

Hraniclean Soft Line	
Persistence and degradability	No information available.
2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)	
Persistence and degradability	Readily biodegradable.
Biodegradation	100 %
Quaternary ammonium compounds, C12-14-alkyltrimethyl, Me sulfates (96690-44-7)	
Persistence and degradability	Biodegradable.
Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)	
Persistence and degradability	Not readily biodegradable. Quickly hydrolyses in an aqueous environment
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
Persistence and degradability	Biodegradable.
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Persistence and degradability	Readily biodegradable.
Biodegradation	100 %
Sorbitan monooleate, ethoxylated (9005-65-6)	
Persistence and degradability	Rapidly degradable

## 12.3. Bioaccumulative potential

Hraniclean Soft Line	
Bioaccumulative potential	No information available.
2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)	
Partition coefficient n-octanol/water (Log Kow)	0.81 @ 20 °C
Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)	
Partition coefficient n-octanol/water (Log Kow)	0.15 @ 23 °C
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
Partition coefficient n-octanol/water (Log Kow)	0.75
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Partition coefficient n-octanol/water (Log Kow)	0.05 @ 25 °C

## 12.4. Mobility in soil

Hraniclean Soft Line	
Ecology - soil	No information available.

## 12.5. Results of PBT and vPvB assessment

Hraniclean Soft Line	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

Hraniclean Soft Line

Issue date: 9/15/2023

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Revision date: 8/14/2025Supersedes version of: 3/28/2024

Version: 3.0

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

Other adverse effects

: No other effects known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation

: Disposal must be done according to official regulations.

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information






: Flammable vapours may accumulate in the container.

European List of Waste (LoW, EC 2000/532)

: 20 01 29\* - detergents containing dangerous substances  
15 01 02 - plastic packaging

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 1993	UN 1993	UN 1993	UN 1993	UN 1993
14.2. UN proper shipping name				
FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.	Flammable liquid, n.o.s.	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.
Transport document description				
UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol), 3, III, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol), 3, III	UN 1993 Flammable liquid, n.o.s. (propan-2-ol; isopropyl alcohol; isopropanol), 3, III	UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol), 3, III	UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol), 3, III
14.3. Transport hazard class(es)				
3	3	3	3	3
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-E EmS-No. (Spillage): S-E	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

# Hraniclean Soft Line

Issue date: 9/15/2023


 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 8/14/2025

Supersedes version of: 3/28/2024

Version: 3.0

## 14.6. Special precautions for user

### Overland transport

Classification code (ADR)	: F1
Special provisions (ADR)	: 274, 601
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 30
Orange plates	: 

Tunnel restriction code (ADR)	: D/E
EAC code	: •3Y

### Transport by sea

Special provisions (IMDG)	: 223, 274, 955
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
Stowage category (IMDG)	: A

### Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L

### Inland waterway transport

Classification code (ADN)	: F1
Special provisions (ADN)	: 274, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0

### Rail transport

Classification code (RID)	: F1
Special provisions (RID)	: 274, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19

Hraniclean Soft Line

Issue date: 9/15/2023

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Revision date: 8/14/2025Supersedes version of: 3/28/2024

Version: 3.0

Portable tank and bulk container instructions (RID) : T4  
Portable tank and bulk container special provisions (RID) : TP1, TP29  
Tank codes for RID tanks (RID) : LGBF  
Transport category (RID) : 3  
Special provisions for carriage – Packages (RID) : W12  
Colis express (express parcels) (RID) : CE4  
Hazard identification number (RID) : 30

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Hraniclean Soft Line ; propan-2-ol; isopropyl alcohol; isopropanol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Hraniclean Soft Line ; 2-butoxyethanol; ethylene glycol monobutyl ether ; Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) ; propan-2-ol; isopropyl alcohol; isopropanol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items



Hraniclean Soft Line

Issue date: 9/15/2023

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Revision date: 8/14/2025Supersedes version of: 3/28/2024

Version: 3.0

VOC Directive (2004/42)

VOC content : ≈ 0.1 kg/kg

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

United Kingdom

British National Regulations : Regulation (EC) No 1013/2006 of the European Parliament and of the Council on shipments of waste, in the valid wording.  
Directive 2008/98/EC of the European Parliament and of the Council on waste and repealing certain Directives, in the valid wording.  
UK Waste Regulations.  
UK REACH.  
GB CLP.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
1.2	Use of the substance/mixture	Modified
3	Composition/information on ingredients	Modified
10.6	Hazardous decomposition products	Modified
11.1	Toxicological information	Added
12.	Ecology - general	Modified

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association

# Hraniclean Soft Line

Issue date: 9/15/2023

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 8/14/2025

Supersedes version of: 3/28/2024

Version: 3.0

## Abbreviations and acronyms:

IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Data sources : ECHA Guidance on the compilation of safety data sheets  
 ECHA C&L Inventory database. Supplier's safety documents.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

## Full text of H- and EUH-statements:

Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2

# Hraniclean Soft Line

Issue date: 9/15/2023

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 8/14/2025

Supersedes version of: 3/28/2024

Version: 3.0

## Full text of H- and EUH-statements:

Flam. Liq. 2	Flammable liquids, Category 2
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1A	Skin sensitisation, category 1A
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)(55965-84-9). May produce an allergic reaction.

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 3	H226	On basis of test data
Eye Irrit. 2	H319	Calculation method

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.